

Prominence ratings, Test 1 –Danish raters

Neutral utterances

<i>ps n</i>	1F	2.10Paul 2.00sings
<i>ps n</i>	2F	2.10Paul 2.00sings
<i>ps n</i>	3F	2.80Paul 2.10sings
<i>ps n</i>	4M	2.10Paul 2.10sings
<i>ps n</i>	5M	1.90Paul 2.20sings
<i>ps n</i>	6M	2.10Paul 2.00sings
<i>pc n</i>	1F	0.00The 2.10party 0.10was 2.00cancelled
<i>pc n</i>	2F	0.00The 2.00party 0.00was 2.20cancelled
<i>pc n</i>	3F	0.00The 2.60party 0.10was 2.00cancelled
<i>pc n</i>	4M	0.00The 2.20party 0.10was 1.90cancelled
<i>pc n</i>	5M	0.00The 2.00party 0.10was 2.30cancelled
<i>pc n</i>	6M	0.00The 2.10party 0.10was 2.30cancelled
<i>bsa n</i>	1F	2.00Bill 2.10struck 2.00Ann
<i>bsa n</i>	2F	2.10Bill 1.90struck 2.00Ann
<i>bsa n</i>	3F	3.00Bill 1.30struck 2.20Ann
<i>bsa n</i>	4M	2.30Bill 1.70struck 2.10Ann
<i>bsa n</i>	5M	1.90Bill 1.30struck 2.50Ann
<i>#bsa n</i>	5M	2.10Bill 0.50struck 2.00Ann
<i>bsa n</i>	6M	2.00Bill 1.50struck 2.60Ann
<i>css n</i>	1F	0.00The 2.30cook 0.10was 1.90smelling 0.00the 2.10soup
<i>css n</i>	2F	0.00The 2.10cook 0.10was 1.90smelling 0.00the 2.00soup
<i>css n</i>	3F	0.00The 3.00cook 0.00was 1.30smelling 0.00the 2.00soup
<i>css n</i>	4M	0.00The 2.10cook 0.00was 1.80smelling 0.00the 2.00soup
<i>css n</i>	5M	0.00The 1.90cook 0.10was 1.70smelling 0.00the 2.10soup
<i>css n</i>	6M	0.00The 2.40cook 0.00was 1.90smelling 0.00the 1.90soup
<i>jleft n</i>	1F	2.00Jane 1.90kissed 2.20Frank 2.00tenderly
<i>jleft n</i>	2F	2.10Jane 1.70kissed 1.90Frank 2.00tenderly
<i>jleft n</i>	3F	3.00Jane 1.10kissed 2.10Frank 2.10tenderly
<i>jleft n</i>	4M	2.00Jane 1.90kissed 2.00Frank 2.10tenderly
<i>#jleft n</i>	4M	2.40Jane 2.80kissed 1.30Frank 2.20tenderly
<i>jleft n</i>	5M	2.00Jane 1.70kissed 1.80Frank 2.20tenderly
<i>jleft n</i>	6M	2.00Jane 1.60kissed 2.00Frank 2.10tenderly
<i>sepc n</i>	1F	2.00Sheila 1.90examined 0.00the 1.80patient 2.00carefully
<i>sepc n</i>	2F	2.10Sheila 1.90examined 0.00the 1.90patient 2.00carefully
<i>sepc n</i>	3F	3.00Sheila 1.10examined 0.00the 1.30patient 2.10carefully
<i>sepc n</i>	4M	2.00Sheila 1.90examined 0.00the 1.80patient 1.90carefully
<i>#sepc n</i>	4M	2.50Sheila 2.00examined 0.00the 1.90patient 2.00carefully

<i>sepc n</i>	5M	1.90Sheila 1.60 examined 0.00 the 1.80 patient 2.10 carefully
<i>sepc n</i>	6M	2.10Sheila 1.90 examined 0.00 the 1.90 patient 2.50 carefully
<i>gitsd n</i>	1F	0.00The 2.00Germans 2.00; import 0.00 their 1.90 sinks 0.00 from 2.10Denmark
<i>gitsd n</i>	2F	0.00The 1.90Germans 1.70; import 0.00 their 1.60 sinks 0.00 from 2.70Denmark
<i>gitsd n</i>	3F	0.00The 3.00Germans 1.20; import 0.00 their 1.40 sinks 0.00 from 2.20Denmark
<i>gitsd n</i>	4M	0.00The 2.50Germans 1.50; import 0.00 their 1.70 sinks 0.00 from 2.30Denmark
<i>gitsd n</i>	5M	0.00The 2.00Germans 1.70; import 0.10 their 1.90 sinks 0.00 from 2.30Denmark
<i>gitsd n</i>	6M	0.00The 2.00Germans 1.70; import 0.00 their 3.00 sinks 0.00 from 2.00Denmark
<i>tgios n</i>	1F	0.00The 2.10Germans' 1.60; import 0.00 of 1.80 sinks 0.00 from 2.10Denmark
<i>tgios n</i>	2F	0.00The 2.10Germans' 1.80; import 0.00 of 1.90 sinks 0.00 from 2.10Denmark
<i>tgios n</i>	3F	0.10The 2.20Germans' 1.70; import 0.00 of 1.60 sinks 0.00 from 2.30Denmark
<i>tgios n</i>	4M	0.00The 2.20Germans' 1.90; import 0.00 of 1.80 sinks 0.00 from 2.00Denmark
<i>tgios n</i>	5M	0.00The 2.00Germans' 1.90; import 0.00 of 1.90 sinks 0.00 from 2.20Denmark
<i>tgios n</i>	6M	0.00The 2.00Germans' 1.50; import 0.00 of 2.40 sinks 0.00 from 2.50Denmark
<i>pdp n</i>	2F	0.10Is 2.00Peter 0.00 a 1.80 doctor 0.00; in 2.20Paris
<i>pdp n</i>	3F	0.20Is 2.80Peter 0.00 a 1.50 doctor 0.00; in 2.10Paris
<i>pdp n</i>	4M	1.50Is 2.00Peter 0.00 a 1.70 doctor 0.00; in 2.20Paris
<i>pdp n</i>	6M	0.10Is 2.00Peter 0.00 a 1.80 doctor 0.00; in 2.30Paris
<i>dsi n</i>	1F	0.50Did 2.00Stalin 1.60 insist 0.00 on 0.00 an 1.80 equal 1.50 distribution 0.00 of 2.50 wealth
<i>dsi n</i>	2F	2.50Did 2.00Stalin 1.90; insist 0.00 on 0.00 an 2.00 equal 1.90 distribution 0.00 of 2.10 wealth
<i>dsi n</i>	4M	2.20Did 2.00Stalin 1.80; insist 0.00 on 0.00 an 1.70 equal 1.70 distribution 0.00 of 2.00 wealth
<i>dsi n</i>	6M	0.80Did 2.00Stalin 1.50; insist 0.00 on 0.00 an 1.80 equal 1.60 distribution 0.00 of 2.10 wealth

Utterances with marked information structure

<i>ps f1</i>	1F	2.90Paul 1.80 sings
<i>ps f1</i>	2F	2.90Paul 1.60 sings
<i>ps f1</i>	3F	3.00Paul 1.80 sings
<i>ps f1</i>	4M	3.00Paul 1.40 sings
<i>ps f1</i>	5M	2.90Paul 1.50 sings
<i>ps f1</i>	6M	3.00Paul 1.80 sings
<i>ps f2</i>	1F	1.80Paul 2.70 sings
<i>ps f2</i>	2F	1.90Paul 2.70 sings
<i>ps f2</i>	3F	1.20Paul 3.00 sings
<i>ps f2</i>	4M	1.70Paul 3.00 sings
<i>ps f2</i>	5M	1.60Paul 3.00 sings
<i>ps f2</i>	6M	1.90Paul 3.00 sings
<i>pc f1</i>	1F	0.00The 3.00 party 0.00 was 1.70 cancelled
<i>pc f1</i>	2F	0.00The 3.00 party 0.10 was 1.60 cancelled
<i>pc f1</i>	3F	0.00The 3.00 party 0.10 was 1.80 cancelled

pc f1 4M 0.00The 2.90party 0.10was 1.60cancelled
pc f1 5M 0.00The 2.70party 0.10was 1.60cancelled
pc f1 6M 0.00The 3.00party 0.00was 1.60cancelled
pc f2 1F 0.00The 1.50party 0.00was 2.50cancelled
pc f2 2F 0.00The 1.90party 0.10was 2.90cancelled
pc f2 3F 0.00The 1.90party 0.00was 3.00cancelled
pc f2 4M 0.00The 1.90party 0.10was 2.80cancelled
pc f2 5M 0.00The 1.90party 0.10was 3.00cancelled
pc f2 6M 0.00The 1.80party 0.00was 2.80cancelled
bsa f1 1F 2.80Bill 1.30struck 2.20Ann
bsa f1 2F 3.00Bill 1.60struck 1.90Ann
bsa f1 3F 2.90Bill 1.30struck 1.80Ann
bsa f1 4M 3.00Bill 1.30struck 1.50Ann
bsa f1 5M 3.00Bill 1.20struck 1.60Ann
bsa f1 6M 2.90Bill 0.90struck 1.70Ann
bsa f2 1F 1.70Bill 3.00struck 1.90Ann
bsa f2 2F 2.00Bill 3.00struck 1.80Ann
bsa f2 3F 1.90Bill 3.00struck 1.70Ann
bsa f2 4M 1.60Bill 3.00struck 1.40Ann
bsa f2 5M 1.50Bill 2.90struck 1.80Ann
bsa f2 6M 1.30Bill 3.00struck 1.70Ann
bsa f3 1F 2.00Bill 1.20struck 2.90Ann
bsa f3 2F 2.00Bill 1.70struck 2.90Ann
bsa f3 3F 2.00Bill 1.40struck 3.00Ann
bsa f3 4M 2.00Bill 1.40struck 3.00Ann
bsa f3 6M 1.80Bill 1.20struck 3.00Ann
css f1 1F 0.00The 3.00cook 0.10was 1.60smelling 0.00the 1.70soup
css f1 2F 0.00The 3.00cook 0.10was 1.70smelling 0.00the 1.60soup
css f1 3F 0.00The 3.00cook 0.10was 1.60smelling 0.00the 1.70soup
css f1 4M 0.00The 2.90cook 0.00was 1.40smelling 0.00the 1.80soup
css f1 5M 0.00The 3.00cook 0.00was 1.40smelling 0.00the 1.50soup
css f1 6M 0.00The 3.00cook 0.10was 1.50smelling 0.00the 1.50soup
css f2 1F 0.00The 1.60cook 0.10was 3.00smelling 0.00the 1.70soup
css f2 2F 0.00The 1.60cook 0.10was 3.00smelling 0.00the 1.70soup
css f2 3F 0.00The 1.90cook 0.00was 3.00smelling 0.00the 1.70soup
css f2 4M 0.00The 2.00cook 0.00was 3.00smelling 0.00the 1.60soup
css f2 5M 0.00The 1.50cook 0.10was 3.00smelling 0.00the 1.60soup
css f2 6M 0.00The 1.60cook 0.00was 3.00smelling 0.00the 1.60soup
css f3 1F 0.00The 2.00cook 0.10was 1.70smelling 0.00the 2.60soup
css f3 2F 0.00The 2.00cook 0.00was 1.90smelling 0.00the 2.20soup
css f3 3F 0.00The 2.00cook 0.10was 1.70smelling 0.00the 3.00soup
css f3 4M 0.00The 2.00cook 0.10was 1.50smelling 0.00the 3.00soup

css f3 5M 0.00The 1.70cook 0.00was 1.40smelling 0.00the 3.00soup
css f3 6M 0.00The 1.70cook 0.00was 1.50smelling 0.00the 2.90soup
jkft f1 1F 2.80Jane 1.20kissed 1.60Frank 1.80tenderly
jkft f1 2F 3.00Jane 1.50kissed 1.70Frank 1.90tenderly
jkft f1 3F 3.00Jane 1.20kissed 1.30Frank 1.60tenderly
jkft f1 4M 3.00Jane 1.00kissed 1.40Frank 1.70tenderly
jkft f1 5M 2.90Jane 1.30kissed 1.60Frank 1.70tenderly
jkft f1 6M 3.00Jane 1.20kissed 1.50Frank 1.60tenderly
jkft f2 1F 1.70Jane 2.90kissed 1.80Frank 1.70tenderly
jkft f2 3F 1.80Jane 3.00kissed 1.30Frank 1.60tenderly
jkft f2 4M 1.80Jane 3.00kissed 1.50Frank 1.50tenderly
jkft f2 5M 1.40Jane 3.00kissed 1.40Frank 1.60tenderly
jkft f3 1F 1.70Jane 1.20kissed 2.80Frank 1.70tenderly
jkft f3 2F 1.90Jane 1.70kissed 2.20Frank 2.20tenderly
jkft f3 3F 1.90Jane 1.50kissed 3.00Frank 1.60tenderly
jkft f3 4M 1.80Jane 1.40kissed 2.90Frank 1.30tenderly
jkft f3 5M 1.70Jane 1.50kissed 2.90Frank 1.80tenderly
jkft f3 6M 1.80Jane 1.00kissed 3.00Frank 2.20tenderly
jkft f4 1F 2.00Jane 1.80kissed 1.90Frank 2.40tenderly
jkft f4 2F 2.10Jane 1.80kissed 1.80Frank 2.60tenderly
jkft f4 3F 2.00Jane 1.30kissed 1.80Frank 3.00tenderly
jkft f4 4M 2.00Jane 1.60kissed 1.90Frank 2.70tenderly
jkft f4 5M 1.70Jane 1.40kissed 1.50Frank 2.80tenderly
jkft f4 6M 1.80Jane 1.00kissed 1.90Frank 2.90tenderly
sepc f1 1F 3.00Sheila 1.60 examined 0.00the 1.70 patient 1.70carefully
sepc f1 2F 3.00Sheila 1.50 examined 0.00the 1.50 patient 1.50carefully
sepc f1 3F 3.00Sheila 1.50 examined 0.00the 1.60 patient 1.60carefully
sepc f1 4M 3.00Sheila 1.10 examined 0.00the 1.30 patient 1.40carefully
sepc f1 5M 2.90Sheila 1.50 examined 0.00the 1.50 patient 1.60carefully
sepc f2 1F 1.80Sheila 3.00 examined 0.00the 1.30 patient 1.50carefully
sepc f2 3F 2.00Sheila 3.00 examined 0.00the 1.30 patient 1.40carefully
sepc f2 5M 1.80Sheila 3.00 examined 0.00the 1.70 patient 1.70carefully
sepc f2 6M 1.50Sheila 3.00 examined 0.00the 1.60 patient 1.60carefully
sepc f3 1F 1.80Sheila 1.70 examined 0.00the 2.90 patient 1.80carefully
sepc f3 2F 2.00Sheila 1.40 examined 0.00the 3.00 patient 2.10carefully
sepc f3 3F 1.80Sheila 1.50 examined 0.00the 3.00 patient 1.70carefully
sepc f3 4M 1.90Sheila 1.30 examined 0.00the 3.00 patient 1.20carefully
sepc f3 5M 1.50Sheila 1.50 examined 0.00the 2.90 patient 1.70carefully
sepc f3 6M 1.60Sheila 1.50 examined 0.00the 3.00 patient 2.20carefully
sepc f4 1F 1.90Sheila 1.80 examined 0.00the 1.90 patient 2.90carefully
sepc f4 2F 2.00Sheila 1.70 examined 0.00the 1.70 patient 3.00carefully
sepc f4 3F 1.90Sheila 1.40 examined 0.00the 1.40 patient 3.00carefully

sepc f4 4M 2.00Sheila 1.80 examined 0.00 the 1.60 patient 2.60 carefully
sepc f4 5M 1.80Sheila 1.60 examined 0.00 the 1.70 patient 2.70 carefully
sepc f4 6M 1.80Sheila 1.60 examined 0.00 the 1.70 patient 3.00 carefully
pdp f1 2F 0.00Is 3.00Peter 0.00 a 1.50 doctor 0.00 in 1.90 Paris
pdp f1 3F 0.00Is 2.90Peter 0.00 a 1.40 doctor 0.00 in 1.60 Paris
pdp f1 4M 0.10Is 2.50Peter 0.00 a 1.70 doctor 0.00 in 1.90 Paris
pdp f1 5M 0.00Is 2.70Peter 0.00 a 1.60 doctor 0.00 in 1.80 Paris
pdp f1 6M 0.00Is 2.30Peter 0.00 a 1.60 doctor 0.00 in 2.10 Paris
dsi f1 1F 0.20Did 3.00Stalin 1.50; insist 0.00 on 0.00 an 1.40 equal 1.40 distribution 0.00 of 2.00 wealth
dsi f1 2F 1.50Did 3.00Stalin 1.50; insist 0.00 on 0.00 an 1.80 equal 1.70 distribution 0.00 of 1.90 wealth
dsi f1 3F 0.70Did 2.90Stalin 1.30; insist 0.00 on 0.00 an 1.50 equal 1.40 distribution 0.00 of 1.90 wealth
dsi f1 5M 0.70Did 2.30Stalin 1.50; insist 0.00 on 0.00 an 1.50 equal 1.40 distribution 0.00 of 1.90 wealth
dsi f1 6M 0.70Did 2.40Stalin 1.90; insist 0.00 on 0.00 an 1.90 equal 1.70 distribution 0.00 of 2.00 wealth
imp_sb 1F 0.00but 0.00we 2.50 do 0.90 know 0.00 that 0.00 the 2.40 Germans' 1.70; import 2.40 sinks
imp_sb 2F 0.00but 0.00we 2.90 do 1.20 know 0.00 that 0.00 the 3.00 Germans' 1.50; import 2.10 sinks
imp_sb 3F 0.10but 0.10we 2.60 do 0.90 know 0.00 that 0.00 the 2.80 Germans' 1.30; import 2.30 sinks
imp_sb 4M 0.00but 0.00we 2.40 do 1.20 know 0.00 that 0.00 the 2.10 Germans' 1.60; import 2.30 sinks
imp_sb 5M 0.00but 0.10we 2.30 do 0.90 know 0.00 that 0.00 the 2.00 Germans' 1.30; import 2.80 sinks
imp_sb 6M 0.00but 0.00we 2.20 do 0.90 know 0.00 that 0.00 the 2.30 Germans' 1.50; import 2.00 sinks
imp_vb 1F 0.00but 0.10we 2.30 do 0.90 know 0.00 that 0.00 the 2.20 Germans' 1.50; import 2.00 sinks
imp_vb 2F 0.00but 0.00we 2.30 do 1.00 know 0.00 that 0.00 the 3.00 Germans' 1.50; import 1.80 sinks
imp_vb 3F 0.00but 0.00we 2.40 do 0.90 know 0.00 that 0.00 the 2.80 Germans' 1.20; import 1.80 sinks
imp_vb 4M 0.00but 0.00we 2.60 do 1.00 know 0.00 that 0.00 the 2.60 Germans' 1.30; import 1.50 sinks
imp_vb 5M 0.00but 0.00we 2.40 do 1.00 know 0.00 that 0.00 the 2.50 Germans' 1.20; import 1.60 sinks
imp_vb 6M 0.00but 0.00we 2.60 do 1.20 know 0.00 that 0.00 the 2.50 Germans' 1.50; import 1.90 sinks