

## Prominence ratings, Test 2 – English raters

### Neutral utterances

<i>ps n</i>	1F	2.00	Paul	1.83	sings								
<i>ps n</i>	2F	2.00	Paul	1.67	sings								
<i>ps n</i>	3F	2.50	Paul	1.50	sings								
<i>ps n</i>	4M	2.00	Paul	1.83	sings								
<i>ps n</i>	5M	2.00	Paul	2.33	sings								
<i>ps n</i>	6M	2.00	Paul	2.17	sings								
<i>pc n</i>	1F	0.00	The	2.00	party	0.00	was	2.00	cancelled				
<i>pc n</i>	2F	0.00	The	2.00	party	0.00	was	2.17	cancelled				
<i>pc n</i>	3F	0.00	The	2.67	party	0.00	was	2.00	cancelled				
<i>pc n</i>	4M	0.00	The	2.17	party	0.00	was	1.83	cancelled				
<i>pc n</i>	5M	0.00	The	2.00	party	0.00	was	2.00	cancelled				
<i>pc n</i>	6M	0.00	The	2.17	party	0.00	was	2.33	cancelled				
<i>bsa n</i>	1F	2.00	Bill	1.33	struck	2.17	Ann						
<i>bsa n</i>	2F	2.00	Bill	1.00	struck	1.83	Ann						
<i>bsa n</i>	3F	2.50	Bill	0.50	struck	2.17	Ann						
<i>bsa n</i>	4M	2.17	Bill	0.67	struck	2.00	Ann						
<i>#bsa n</i>	5M	2.00	Bill	0.00	struck	2.00	Ann						
<i>bsa n</i>	5M	2.00	Bill	0.33	struck	2.67	Ann						
<i>bsa n</i>	6M	2.00	Bill	1.00	struck	2.83	Ann						
<i>css n</i>	1F	0.00	The	2.17	cook	0.00	was	2.00	smelling	0.00	the	2.00	soup
<i>css n</i>	2F	0.00	The	2.00	cook	0.00	was	2.00	smelling	0.00	the	2.00	soup
<i>css n</i>	3F	0.00	The	2.67	cook	0.00	was	0.83	smelling	0.00	the	2.00	soup
<i>css n</i>	4M	0.00	The	2.00	cook	0.00	was	1.83	smelling	0.00	the	2.00	soup
<i>css n</i>	5M	0.00	The	1.83	cook	0.00	was	1.67	smelling	0.00	the	2.00	soup
<i>css n</i>	6M	0.00	The	2.00	cook	0.00	was	1.33	smelling	0.00	the	2.00	soup
<i>jleft n</i>	1F	2.00	Jane	1.67	kissed	2.33	Frank	1.83	tenderly				
<i>jleft n</i>	2F	2.00	Jane	1.67	kissed	2.00	Frank	2.00	tenderly				
<i>jleft n</i>	3F	2.50	Jane	0.33	kissed	2.17	Frank	1.83	tenderly				
<i>jleft n</i>	4M	2.00	Jane	1.00	kissed	2.00	Frank	2.00	tenderly				
<i>#jleft n</i>	4M	2.50	Jane	1.67	kissed	1.17	Frank	1.83	tenderly				
<i>jleft n</i>	5M	2.00	Jane	1.67	kissed	1.83	Frank	2.33	tenderly				
<i>jleft n</i>	6M	2.00	Jane	1.33	kissed	2.00	Frank	2.00	tenderly				
<i>sepc n</i>	1F	2.00	Sheila	2.00	examined	0.00	the	2.00	patient	2.00	carefully		
<i>sepc n</i>	2F	2.00	Sheila	2.00	examined	0.00	the	2.00	patient	2.00	carefully		
<i>sepc n</i>	3F	2.83	Sheila	1.50	examined	0.00	the	1.67	patient	2.00	carefully		
<i>sepc n</i>	4M	2.00	Sheila	2.00	examined	0.00	the	2.00	patient	2.00	carefully		
<i>#sepc n</i>	4M	2.50	Sheila	1.83	examined	0.00	the	1.83	patient	2.00	carefully		

<i>sepc n</i>	5M	2.00	Sheila	1.83	examined	0.00	the	1.83	patient	2.00	carefully								
<i>sepc n</i>	6M	2.00	Sheila	1.33	examined	0.00	the	1.50	patient	2.17	carefully								
<i>gitsd n</i>	1F	0.00	The	2.00	Germans	2.00	import	0.00	their	1.83	sinks	0.00	from	1.83	Denmark				
<i>gitsd n</i>	2F	0.00	The	2.17	Germans	1.50	import	0.00	their	1.50	sinks	0.00	from	2.67	Denmark				
<i>gitsd n</i>	3F	0.00	The	2.83	Germans	1.17	import	0.00	their	1.00	sinks	0.00	from	2.17	Denmark				
<i>gitsd n</i>	4M	0.00	The	2.17	Germans	1.33	import	0.00	their	1.83	sinks	0.00	from	2.00	Denmark				
<i>gitsd n</i>	5M	0.00	The	2.00	Germans	1.83	import	0.00	their	2.00	sinks	0.00	from	2.00	Denmark				
<i>gitsd n</i>	6M	0.00	The	2.00	Germans	0.50	import	0.00	their	3.00	sinks	0.00	from	1.83	Denmark				
<i>tgios n</i>	1F	0.00	The	2.00	Germans	2.00	import	0.00	of	2.00	sinks	0.00	from	2.00	Denmark				
<i>tgios n</i>	2F	0.00	The	2.17	Germans	2.00	import	0.00	of	2.00	sinks	0.00	from	2.00	Denmark				
<i>tgios n</i>	3F	0.00	The	2.33	Germans	1.33	import	0.00	of	1.83	sinks	0.00	from	1.83	Denmark				
<i>tgios n</i>	4M	0.00	The	2.00	Germans	1.33	import	0.00	of	2.00	sinks	0.00	from	2.00	Denmark				
<i>tgios n</i>	5M	0.00	The	2.00	Germans	2.00	import	0.00	of	1.83	sinks	0.00	from	2.00	Denmark				
<i>tgios n</i>	6M	0.00	The	1.83	Germans	1.17	import	0.00	of	2.33	sinks	0.00	from	2.17	Denmark				
<i>pdp n</i>	2F	0.00	Is	2.33	Peter	0.00	a	1.67	doctor	0.00	in	2.17	Paris						
<i>pdp n</i>	3F	0.00	Is	2.67	Peter	0.00	a	1.33	doctor	0.00	in	2.00	Paris						
<i>pdp n</i>	4M	0.67	Is	1.67	Peter	0.00	a	1.67	doctor	0.00	in	2.33	Paris						
<i>pdp n</i>	6M	0.00	Is	2.00	Peter	0.00	a	1.67	doctor	0.00	in	2.33	Paris						
<i>dsi n</i>	1F	0.17	Did	2.17	Stalin	1.33	insist	0.00	on	0.00	an	1.33	equal	1.33	distribution	0.00	of	2.33	wealth
<i>dsi n</i>	2F	1.33	Did	2.00	Stalin	2.00	insist	0.00	on	0.00	an	2.00	equal	1.50	distribution	0.00	of	2.00	wealth
<i>dsi n</i>	4M	1.00	Did	1.83	Stalin	1.50	insist	0.00	on	0.00	an	1.67	equal	1.83	distribution	0.00	of	2.00	wealth
<i>dsi n</i>	6M	1.33	Did	2.00	Stalin	1.50	insist	0.00	on	0.00	an	1.83	equal	1.50	distribution	0.00	of	2.00	wealth

### Utterances with marked information structure

<i>ps f1</i>	1F	2.83	Paul	1.17	sings				
<i>ps f1</i>	2F	2.83	Paul	0.83	sings				
<i>ps f1</i>	3F	2.83	Paul	1.00	sings				
<i>ps f1</i>	4M	2.83	Paul	1.33	sings				
<i>ps f1</i>	5M	2.83	Paul	1.00	sings				
<i>ps f1</i>	6M	2.67	Paul	1.50	sings				
<i>ps f2</i>	1F	1.50	Paul	2.33	sings				
<i>ps f2</i>	2F	0.67	Paul	2.83	sings				
<i>ps f2</i>	3F	0.83	Paul	2.83	sings				
<i>ps f2</i>	4M	1.50	Paul	2.67	sings				
<i>ps f2</i>	5M	0.83	Paul	2.83	sings				
<i>ps f2</i>	6M	1.00	Paul	2.83	sings				
<i>pc f1</i>	1F	0.00	The	2.67	party	0.00	was	1.33	cancelled
<i>pc f1</i>	2F	0.00	The	3.00	party	0.17	was	1.17	cancelled
<i>pc f1</i>	3F	0.00	The	2.83	party	0.00	was	1.33	cancelled

<i>pc f1</i>	4M	0.00	The	2.83	party	0.17	was	1.00	cancelled				
<i>pc f1</i>	5M	0.00	The	2.67	party	0.00	was	1.00	cancelled				
<i>pc f1</i>	6M	0.00	The	2.83	party	0.00	was	1.17	cancelled				
<i>pc f2</i>	1F	0.00	The	1.67	party	0.00	was	2.17	cancelled				
<i>pc f2</i>	2F	0.17	The	1.50	party	0.17	was	2.67	cancelled				
<i>pc f2</i>	3F	0.00	The	1.67	party	0.00	was	2.83	cancelled				
<i>pc f2</i>	4M	0.00	The	1.67	party	0.00	was	2.50	cancelled				
<i>pc f2</i>	5M	0.00	The	1.33	party	0.00	was	2.50	cancelled				
<i>pc f2</i>	6M	0.00	The	1.17	party	0.00	was	2.83	cancelled				
<i>bsa f1</i>	1F	2.17	Bill	0.33	struck	2.00	Ann						
<i>bsa f1</i>	2F	3.00	Bill	1.33	struck	1.67	Ann						
<i>bsa f1</i>	3F	2.83	Bill	0.83	struck	1.67	Ann						
<i>bsa f1</i>	4M	3.00	Bill	0.50	struck	1.17	Ann						
<i>bsa f1</i>	5M	3.00	Bill	0.33	struck	1.33	Ann						
<i>bsa f1</i>	6M	2.83	Bill	0.67	struck	1.00	Ann						
<i>bsa f2</i>	1F	1.83	Bill	3.00	struck	2.00	Ann						
<i>bsa f2</i>	2F	1.67	Bill	2.83	struck	1.67	Ann						
<i>bsa f2</i>	3F	1.17	Bill	2.83	struck	1.17	Ann						
<i>bsa f2</i>	4M	1.67	Bill	3.00	struck	1.67	Ann						
<i>bsa f2</i>	5M	0.50	Bill	2.83	struck	1.33	Ann						
<i>bsa f2</i>	6M	0.83	Bill	2.83	struck	1.33	Ann						
<i>bsa f3</i>	1F	2.00	Bill	0.67	struck	2.83	Ann						
<i>bsa f3</i>	2F	1.83	Bill	0.83	struck	2.50	Ann						
<i>bsa f3</i>	3F	1.67	Bill	0.67	struck	3.00	Ann						
<i>bsa f3</i>	4M	2.00	Bill	0.50	struck	2.50	Ann						
<i>bsa f3</i>	6M	1.00	Bill	0.33	struck	3.00	Ann						
<i>css f1</i>	1F	0.00	The	2.67	cook	0.00	was	1.17	smelling	0.00	the	1.67	soup
<i>css f1</i>	2F	0.00	The	2.33	cook	0.17	was	1.00	smelling	0.00	the	1.00	soup
<i>css f1</i>	3F	0.00	The	2.83	cook	0.17	was	1.33	smelling	0.17	the	1.33	soup
<i>css f1</i>	4M	0.00	The	2.83	cook	0.00	was	1.17	smelling	0.00	the	1.17	soup
<i>css f1</i>	5M	0.00	The	2.83	cook	0.00	was	1.33	smelling	0.00	the	1.50	soup
<i>css f1</i>	6M	0.00	The	3.00	cook	0.00	was	1.17	smelling	0.00	the	1.33	soup
<i>css f2</i>	1F	0.00	The	1.67	cook	0.00	was	2.83	smelling	0.00	the	1.33	soup
<i>css f2</i>	2F	0.17	The	1.50	cook	0.17	was	2.83	smelling	0.17	the	1.33	soup
<i>css f2</i>	3F	0.17	The	1.83	cook	0.17	was	3.00	smelling	0.00	the	1.17	soup
<i>css f2</i>	4M	0.17	The	1.83	cook	0.17	was	2.83	smelling	0.00	the	1.33	soup
<i>css f2</i>	5M	0.00	The	1.17	cook	0.00	was	2.67	smelling	0.00	the	1.17	soup
<i>css f2</i>	6M	0.00	The	1.17	cook	0.00	was	3.00	smelling	0.00	the	1.00	soup
<i>css f3</i>	1F	0.00	The	2.00	cook	0.00	was	1.50	smelling	0.00	the	2.83	soup
<i>css f3</i>	2F	0.00	The	2.00	cook	0.00	was	1.67	smelling	0.00	the	2.50	soup
<i>css f3</i>	3F	0.00	The	1.67	cook	0.00	was	1.33	smelling	0.00	the	3.00	soup
<i>css f3</i>	4M	0.00	The	2.00	cook	0.00	was	1.67	smelling	0.00	the	3.00	soup

*css f3* 5M 0.00 The 1.83 cook 0.00 was 1.67 smelling 0.00 the 2.83 soup  
*css f3* 6M 0.00 The 1.50 cook 0.00 was 1.33 smelling 0.00 the 2.83 soup  
*jkft f1* 1F 2.50 Jane 0.50 kissed 1.67 Frank 1.50 tenderly  
*jkft f1* 2F 2.83 Jane 1.00 kissed 1.33 Frank 1.67 tenderly  
*jkft f1* 3F 3.00 Jane 0.50 kissed 1.17 Frank 1.17 tenderly  
*jkft f1* 4M 3.00 Jane 0.17 kissed 1.83 Frank 2.00 tenderly  
*jkft f1* 5M 3.00 Jane 0.67 kissed 1.33 Frank 1.50 tenderly  
*jkft f1* 6M 3.00 Jane 0.50 kissed 1.17 Frank 1.33 tenderly  
*jkft f2* 1F 1.50 Jane 3.00 kissed 1.17 Frank 1.50 tenderly  
*jkft f2* 3F 1.00 Jane 2.83 kissed 0.33 Frank 1.17 tenderly  
*jkft f2* 4M 1.50 Jane 3.00 kissed 1.17 Frank 1.50 tenderly  
*jkft f2* 5M 1.17 Jane 2.83 kissed 0.33 Frank 1.17 tenderly  
*jkft f3* 1F 1.67 Jane 0.67 kissed 2.83 Frank 1.00 tenderly  
*jkft f3* 2F 1.33 Jane 0.83 kissed 2.50 Frank 1.83 tenderly  
*jkft f3* 3F 2.00 Jane 1.17 kissed 3.00 Frank 0.83 tenderly  
*jkft f3* 4M 2.00 Jane 0.67 kissed 3.00 Frank 0.83 tenderly  
*jkft f3* 5M 1.67 Jane 0.67 kissed 2.83 Frank 1.00 tenderly  
*jkft f3* 6M 1.67 Jane 0.33 kissed 3.00 Frank 2.00 tenderly  
*jkft f4* 1F 1.83 Jane 0.83 kissed 1.67 Frank 2.33 tenderly  
*jkft f4* 2F 1.83 Jane 1.00 kissed 1.67 Frank 2.33 tenderly  
*jkft f4* 3F 1.67 Jane 0.50 kissed 0.83 Frank 2.33 tenderly  
*jkft f4* 4M 2.00 Jane 1.00 kissed 1.83 Frank 2.33 tenderly  
*jkft f4* 5M 1.33 Jane 0.50 kissed 1.33 Frank 2.83 tenderly  
*jkft f4* 6M 1.67 Jane 0.67 kissed 2.00 Frank 3.00 tenderly  
*sepc f1* 1F 2.83 Sheila 1.50 examined 0.00 the 1.50 patient 1.67 carefully  
*sepc f1* 2F 3.00 Sheila 1.50 examined 0.17 the 1.50 patient 1.50 carefully  
*sepc f1* 3F 3.00 Sheila 1.33 examined 0.00 the 1.33 patient 1.33 carefully  
*sepc f1* 4M 2.83 Sheila 1.17 examined 0.00 the 1.50 patient 1.50 carefully  
*sepc f1* 5M 2.50 Sheila 0.83 examined 0.00 the 1.17 patient 1.17 carefully  
*sepc f2* 1F 1.67 Sheila 3.00 examined 0.00 the 1.33 patient 1.33 carefully  
*sepc f2* 3F 1.33 Sheila 3.00 examined 0.00 the 1.33 patient 1.33 carefully  
*sepc f2* 5M 1.17 Sheila 3.00 examined 0.00 the 1.00 patient 1.00 carefully  
*sepc f2* 6M 1.00 Sheila 3.00 examined 0.00 the 1.17 patient 1.17 carefully  
*sepc f3* 1F 1.83 Sheila 1.33 examined 0.00 the 2.67 patient 1.17 carefully  
*sepc f3* 2F 1.67 Sheila 1.33 examined 0.00 the 3.00 patient 2.00 carefully  
*sepc f3* 3F 1.50 Sheila 1.17 examined 0.00 the 3.00 patient 1.67 carefully  
*sepc f3* 4M 1.50 Sheila 1.33 examined 0.00 the 3.00 patient 1.17 carefully  
*sepc f3* 5M 1.50 Sheila 1.33 examined 0.00 the 3.00 patient 1.50 carefully  
*sepc f3* 6M 1.33 Sheila 1.00 examined 0.00 the 2.83 patient 2.00 carefully  
*sepc f4* 1F 2.00 Sheila 2.00 examined 0.00 the 1.67 patient 3.00 carefully  
*sepc f4* 2F 2.17 Sheila 2.00 examined 0.00 the 2.00 patient 3.00 carefully  
*sepc f4* 3F 1.67 Sheila 1.17 examined 0.00 the 1.50 patient 2.83 carefully

<i>sepc f4</i>	4M	2.17	Sheila	1.67	examined	0.00	the	1.67	patient	2.17	carefully								
<i>sepc f4</i>	5M	1.83	Sheila	1.67	examined	0.00	the	1.33	patient	2.83	carefully								
<i>sepc f4</i>	6M	1.83	Sheila	1.33	examined	0.00	the	1.33	patient	3.00	carefully								
<i>pdp f1</i>	2F	0.17	Is	3.00	Peter	0.00	a	1.50	doctor	0.00	in	1.83	Paris						
<i>pdp f1</i>	3F	0.00	Is	3.00	Peter	0.00	a	1.17	doctor	0.00	in	1.33	Paris						
<i>pdp f1</i>	4M	0.17	Is	2.67	Peter	0.00	a	1.17	doctor	0.00	in	1.33	Paris						
<i>pdp f1</i>	5M	0.00	Is	2.67	Peter	0.00	a	1.33	doctor	0.00	in	1.67	Paris						
<i>pdp f1</i>	6M	0.00	Is	2.33	Peter	0.00	a	1.67	doctor	0.00	in	1.83	Paris						
<i>dsi f1</i>	1F	0.00	Did	2.83	Stalin	1.00	insist	0.00	on	0.00	an	1.33	equal	1.17	distribution	0.00	of	2.17	wealth
<i>dsi f1</i>	2F	0.50	Did	3.00	Stalin	1.00	insist	0.00	on	0.00	an	1.83	equal	1.50	distribution	0.00	of	2.00	wealth
<i>dsi f1</i>	3F	0.17	Did	2.67	Stalin	1.50	insist	0.00	on	0.00	an	1.50	equal	1.17	distribution	0.00	of	1.67	wealth
<i>dsi f1</i>	5M	0.17	Did	2.50	Stalin	1.17	insist	0.00	on	0.00	an	1.00	equal	1.00	distribution	0.00	of	1.50	wealth
<i>dsi f1</i>	6M	0.00	Did	2.50	Stalin	1.50	insist	0.00	on	0.00	an	1.50	equal	1.33	distribution	0.00	of	1.67	wealth
<i>imp sb_n</i>	1F	0.00	but	0.00	we	2.17	do	0.50	know	0.00	that	0.00	the	2.17	Germans'	1.00	import	2.00	sinks
<i>imp sb_n</i>	2F	0.00	but	0.00	we	2.67	do	0.17	know	0.00	that	0.00	the	2.67	Germans'	0.67	import	2.00	sinks
<i>imp sb_n</i>	3F	0.00	but	0.00	we	2.17	do	0.33	know	0.00	that	0.00	the	2.83	Germans'	0.67	import	2.50	sinks
<i>imp sb_n</i>	4M	0.00	but	0.00	we	2.17	do	0.33	know	0.00	that	0.00	the	2.00	Germans'	1.17	import	2.17	sinks
<i>imp sb_n</i>	5M	0.00	but	0.00	we	2.00	do	0.33	know	0.00	that	0.00	the	1.83	Germans'	0.50	import	2.50	sinks
<i>imp sb_n</i>	6M	0.00	but	0.00	we	2.17	do	0.50	know	0.00	that	0.00	the	2.00	Germans'	0.33	import	2.00	sinks
<i>imp vb_n</i>	1F	0.00	but	0.00	we	2.00	do	0.17	know	0.00	that	0.00	the	2.00	Germans'	0.83	import	2.17	sinks
<i>imp vb_n</i>	2F	0.00	but	0.00	we	1.67	do	0.17	know	0.00	that	0.00	the	3.00	Germans'	1.00	import	1.83	sinks
<i>imp vb_n</i>	3F	0.00	but	0.00	we	2.17	do	0.17	know	0.00	that	0.00	the	2.83	Germans'	1.00	import	1.50	sinks
<i>imp vb_n</i>	4M	0.00	but	0.00	we	2.50	do	0.17	know	0.00	that	0.00	the	2.33	Germans'	0.50	import	1.00	sinks
<i>imp vb_n</i>	5M	0.00	but	0.00	we	2.17	do	0.33	know	0.00	that	0.00	the	2.17	Germans'	0.67	import	1.00	sinks
<i>imp vb_n</i>	6M	0.00	but	0.00	we	2.33	do	0.33	know	0.00	that	0.00	the	2.33	Germans'	0.83	import	1.50	sinks